Datenblatt
Data sheet

LINE-screen-73-200-S



FHD resolution

wide viewing angle

powered by Android

Anti-glare surface

24X7 operation

802.11ax WiFi 6

Built-in speakers

700 cd/m2 brightness

Material | Farbe material | colour	Aluminium | Silber eloxiert aluminium | silver anodized
Produktdimension (B x H x T) product dimensions (W x H x D)	73,3 x 202,5 x 50 cm (inkl. Fuss)
Rahmendimension (B x H x T) frame dimensions (W x H x D)	73,3 x 200 x 8,6 cm
RGB-Farbraum - Rahmen RGB - colour space - frame	16,7 Millionen Farben 16,7 million colours
Nennspannung rated voltage	220-240 V
Stromverbrauch power consumption	139 W-5,8 A (24V)
Versandgewicht shipping weight	61,3 kg
Packmaße (B x H x T) | Gewicht packing dimensions (W x H x D) | weight	41 x 119 x 21 cm | 28,5 kg 78 x 131 x 22 cm | 32,8 kg
Ursprungsland country of origin	China
Zolltarifnummer customs tariff number	8528.52.91
WEEE-Reg-Nr. WEEE-reg-no.	DE 57278792

Zertifikate
certificates


TÜV, CE, LVD, EMC, RoHS

TÜVRheinland CERTIFIED Type Approved Safety Regular Production Surveillance www.tuv.com ID 1111313398

TÜVRheinland CERTIFIED Electromagnetic Compatibility Regular Production Surveillance www.tuv.com ID 1111313856

CE RoHS

LINE-stele-73-200 LINE-SC49-DUP-ABS





Datenblatt
Data sheet

LINE-screen-73-200-S

Integrierter Player
Embedded Player

Android-Hauptplatine Android mainboard	AIoT-3568S
Prozessor CPU	RK3568, Quad-Core, 2,0 GHz
Speicher Memory	4 GB
Speicherplatz Storage	64GB
Betriebssystem Operating system	Android 11.0
Standalone-Wiedergabe Standalone playback	ja / yes

Konnektivität
Connectivity

12-V-DC-Eingang 12V DC IN	1 x 24V
RJ45	1
USB	„1 × USB Host, 1 × USB OTG
Antenna Antenna	1

Netzwerk
Network

Ethernet Ethernet	10/100 Mbps
Kabellos Wireless	2,4 GHz + 5,0 GHz
Bluetooth	4.2
WLAN-Sicherheit WiFi security	WEP, WPA, WPA2, WPA3
4G	optional

Bildschirm
Panel

Modellname Model name	DIGIUP Ultra Slim 49
Bilddiagonale Diagonal size	49 Zoll
Kontrastverhältnis Contrast ratio	1200:1
Auflösung Resolution	1080 × 1920 Pixel (Full HD, 9:16)
Seitenverhältnis (H:V) Aspect ratio (H:V)	9:16
Aktive Fläche (HxV) Active area (HxV)	604 x 1073,8 mm
Helligkeit Brightness	700 cd/m²
Reaktionszeit Response time 8ms	8 ms
Displayfarben Display colors	16,7 Millionen (8 Bit)
Betrachtungswinkel Viewing angle	178° (H) / 178° (V)
Bildwiederholfrequenz Refresh rate	60 Hz
Dauerbetrieb Continuous operation	24x7
LED-Lebensdauer LED Life time	min. 30,000 hrs

Datenblatt
Data sheet

LINE-screen-73-200-S

Umweltbedingungen
Environmental Conditions

Betriebstemperatur Operation temperature	0 °C bis 50 °C
Lagertemperatur Storage temperature	-20°C bis 60°C
Betriebsluftfeuchtigkeit Operation humidity	20 % - 80 % rel. Luftfeuchte 20% bis 80% RH
Lagerluftfeuchtigkeit Storage humidity	10 % - 90 % rel. Luftfeuchte 10% bis 90% RH

Mechanisch
Mechanical

Gehäusematerial Shell material	Aluminium I Silber eloxiert aluminium I silver anodized
Frontglas Front glass	3 mm AG-Glas 3 mm AG glass
Farbe Color	Schwarz, matt black Matt
Montageart Mounting method	Stand- / Wandmontage Floor stand / wall mount
Geräteabmessungen Unit dimension	1098,3 x 628,6 x 28,3 mm (B x H x T)
Gerätegewichte Unit weights	16,87 kg

Energie
Power

Stromversorgung Power supply	DC 12 V / 5 A
Stromverbrauch Power consumption	≤ 80 W

Ton
Audio

Interne Lautsprecher Internal speakers	2
Audiokanal Sound channel	2
Ausgangsleistung Power output	2 × 5 W / 8 Ω